



FOR DISTRIBUTION AND USE ONLY WITHIN THE STATE OF IDAHO
This label and the Federal Label must be in the possession of the user at the time of
pesticide application.

TOPSIN® M WSB
THIOPHANATE-METHYL FUNGICIDE
70% Wettable Powder in Water Soluble Bags

EPA Registration No. 4581-408
EPA Registration No. 73545-8
EPA Registration No. 4581-377

EPA SLN No. ID-020006

FOR USE AS SWEET CORN SEED TREATMENT
FOR USE BY COMMERCIAL SEED TREATERS ONLY

Directions for Use

It is a violation of Federal law to use this product in a manner inconsistent with its
labeling.

Mixing procedures: apply TOPSIN M WSB as a water-based slurry utilizing standard
slurry seed treatment equipment which provides uniform seed coverage. Uneven or
incomplete seed coverage may not give the desired level of disease control. Thoroughly
mix the recommended amount of TOPSIN M into the required amount of water. Mix
wetttable powder first with water prior to adding flowables or liquid solution.

Seed treatment of sweet corn: Apply TOPSIN M WSB at the rate of 3.0 ounces per 100
pounds of seed.

Seed labeling: Treated seed must be labeled "For Export Only – Not to be Sold or
Offered for Sale in the United States."

Note: Federal law requires that bags containing treated seeds shall be labeled with the
following information: "This seed has been treated with thiophanate-methyl (TOPSIN M
WSB). Do not use treated seed for feed, food, or oil purposes. Store away from feeds
and foodstuffs." Use with an EPA-approved dye which imparts an unnatural color to the
seed.

Follow all applicable directions, restrictions, Worker Protection Standard requirements,
and precautions on the EPA registered label.

Do not apply this product for this use through any type of irrigation system.